



MANIFOLD OPTION

Part Number	Vehicle Brand	Number of Cylinders	Engine Fitment	Throttle Bore Size	Country of Origin	Fitment Type	Additional Information
ATMW3100	ASTON MARTIN	(6-Cylinder)	Aston Martin DB4/DB5 & DB6	45mm	GB	3 x DCOE	Cast Aluminium (3-Piece) intake manifold.Set includes 1 x centre manifold with bushed link rod mounts underneath, 1 x manifold drilled for Servo takeoff and 1 x plain manifold. Please note that these are replicas of the original works manifolds and the inlet tracts are intentionally left rough cast to replicate the works finish.
ATMMW4050	AUSTIN	(4-Cylinder)	BL A Series	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) 4" intake manifold. Fits BL A series engines. (Comes complete with fitting kit).
ATMW4030	AUSTIN	(4-Cylinder)	BL A Series	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) 6" intake manifold. Fits BL A Series engines. (Comes complete with fitting kit).
ATMT0071	AUSTIN	(4-Cylinder)	BL A Series	40mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake manifold. Fits BL A Series engines. The length (horizontal distance from face of head to throttle flange) is 140mm.
ATMM2161	BMW	(6-Cylinder)	BMW 2.0/2.3/2.5	40mm	GB	3 x DCOE	Billet Aluminium (1-piece) intake manifold. Fits BMW 2.0/2.3/2.5. (Manifold thickness is 32mm).
ATMW3093	BWM	(4-Cylinder)	BMW 2000/2002	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake manifold. Fits BMW 2002. (Water Jacket on top of manifold).
ATMW4800A	BMW	(4-Cylinder)	BMW M10 1.6 /1.8	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake manifold. For engines as fitted to 1600, 1602, 1802, E21 316, E30 316. (No underside water jacket connection). (Oval Head port dimensions are 33mm high by 39mm wide).
ATMW4800B	BMW	(4-Cylinder)	BMW M10 1.6 /1.8	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake manifold. For engines as fitted to 1600, 1602, 1802, E21 316, E30 316. (No underside water jacket connection). (Oval Head port dimensions are 33mm high by 39mm wide).
ATMW4810A	BMW	(4-Cylinder)	BMW M10 2.0	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake manifold. Fits BMW M10 2.0 engine as fitted to 2002 E28 518, E30 318, E21 320. (No underside water jacket connection). (Oval Head port dimensions are 38mm high by 45mm wide).
ATMW4810B	BMW	(4-Cylinder)	BMW M10 2.0	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake manifold. Fits BMW M10 2.0 engine as fitted to 2002 E28 518, E30 318, E21 320. (No underside water jacket connection). (Oval Head port dimensions are 38mm high by 45mm wide).
ATMT0058	BMW	(6-Cylinder)	BMW 2.8/3.0/3.5	40mm	GB	3 x DCOE	Cast Aluminium (3-piece) intake manifold. Fits BMW 6 cyl 2.8 / 3.2 and 3.5 ltr engines. (Union take off thread is 3/8 x 18 NPT).
AT9900835200	CHEVY	(8-Cylinder)	CHEVROLET SMALL BLOCK V8	48mm	GB	4 x DCOE	Cast Aluminium (3-piece) intake manifold Fits Chevrolet smallblock V8. (Suits applications where height is restricted and IDA throttle bodies cannot be used). (Centre post linkage is supplied).
AT9900890100	CHEVY	(8-Cylinder)	CHEVROLET SMALL BLOCK V8	48mm	GB	4 x IDA	Cast Aluminium (1-piece) intake Manifold. Fits Chevrolet smallblock V8.
ATMM4700-45	DATSUN	(6-Cylinder)	DATSUN 240Z/260Z/280Z	45mm	GB	3 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits the 240/260/280Z range. (The kit is supplied complete with flap wheels for port matching as well as a template and dowel kit).
ATMW18	DATSUN	(4-Cylinder)	DATSUN 1.4/1.5/A14/A15	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Nissan Datsun 1400, 1500, A14, A15 Sunny & Pulsar series B210.
ATMW3115	DATSUN	(4-Cylinder)	DATSUN L16/L18/L20	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Datsun 1600,1800,180B SSS,200B Bluebird, (L16, L18, L20 Series 610, 710, 810, 910. (Electric fuel pump is recommended).
ATMW3063	DATSUN	(4-Cylinder)	DATSUN L16/L18/L20	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Datsun 1600,1800,180B SSS,200B Bluebird, (L16, L18, L20 Series 610, 710, 810, 910. (Overall face to face length is 120mm). (Electric fuel pump is recommended).
ATMW3825	DATSUN	(4-Cylinder)	DATSUN L20	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Datsun L20 2.0 engine as fitted to A10,610,710,S10, 620,720. (Overall face to face length is 110mm). (Electric fuel pump is recommended).
ATMM3830	DATSUN	(4-Cylinder)	DATSUN ROADSTER 1600	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Datsun Roadster 1600 Manifold + Linkage. (Electric fuel pump is recommended).
ATMW3114	DATSUN	(4-Cylinder)	DATSUN 120Y	40mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Datsun 120Y, designed to suit Nissan Datsun 1000, 1200, 120Y, 140 (A10, A12 & A12A.
ATMM4962A	FIAT	(4-Cylinder)	FIAT 128	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Fiat 128. (Fitting pack, with o-ring blocks, o-rings and stud pack, included). (Dimensions: h=34mm ; L=100mm ; angle = 17°). (Servo 1/4" BSP).
ATMM4970B	FIAT	(4-Cylinder)	FIAT TWINCAM	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Fiat Twincam. (Comes complete with fitting hardware).

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regards to purchase orders, the agreed particulars shall prevail. AT Power does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

AT Power Throttles Ltd

Unit 9, Chestnut Drive
Wymondham
Norfolk
NR18 9SB

Tel: +44 (0)1953 85700
Email: info@atpowerthrottles.com
Web: www.atpowerthrottles.com



Part Number	Vehicle Brand	Number of Cylinders	Engine Fitment	Throttle Bore Size	Country of Origin	Fitment Type	Additional Information
AT9900890700	FORD	(8-Cylinder)	FORD SMALLBLOCK V8 (COBRA)	48mm	GB	4 x IDA	Cast Aluminium (1-piece) intake Manifold. Fits Ford smallblock V8, perfect for a Cobra running a 289 or 302 V8. Requires Y water pipe which we are unable to supply. (Embossed with Cobra logo).
AT9900890400	FORD	(8-Cylinder)	FORD SMALLBLOCK V8 (MUSTANG)	48mm	GB	4 X IDA	Cast Aluminium (1-piece) intake Manifold. Fits Ford smallblock 289/302 V8 Mustang style. Superb quality manifold for a smallblock ford. (Perfect for an early Mustang).
AT9900890900	FORD	(8-Cylinder)	FORD CLEVELAND 351 (V8)	48mm	GB	4 X IDA	Cast Aluminium (1-piece) intake Manifold. Fits Ford Cleveland 351 V8 engine.
AT9900890800	FORD	(8-Cylinder)	FORD WINDSOR 351 (V8)	48mm	GB	4 x IDA	Cast Aluminium (1-piece) intake Manifold. Fits Ford Windsor 351 V8 engine.
ATMM4240A	FORD	(4-Cylinder)	FORD CROSSFLOW 1.3L	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford 1.3 Crossflow. (Also fits FWD Fiesta).
ATMW4242A	FORD	(4-Cylinder)	FORD CROSSFLOW 1.6L	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford 1.6 Crossflow. (Manifold Length 76mm, throttle angle 3 degrees).
ATMM4250A	FORD	(4-Cylinder)	FORD CROSSFLOW 1.6L	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford 1.6 crossflow. (Manifold length of 105mm)
ATMW4242B	FORD	(4-Cylinder)	FORD CROSSFLOW 1.6L	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford 1.6 crossflow. (Manifold length of 76mm, throttle angle 3 degrees)
ATMM4246B	FORD	(4-Cylinder)	FORD CHV	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford CVH engine. (Not suitable for EFI applications having injector pockets in ports).
ATMW4270B	FORD	(4-Cylinder)	FORD PINTO	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford Pinto. (Manifold length of 94mm, throttle angle 4.5 degrees).
ATMW4270C	FORD	(4-Cylinder)	FORD PINTO	48mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford Pinto. (Manifold length of 94mm, throttle angle 4.5 degrees).
ATMW3019	FORD	(4-Cylinder)	FORD 1.5 PRE-CROSSFLOW	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Ford 1500 Pre Crossflow. (Manifold length flange to flange length is 113mm).
ATMW3037	JAGUAR	(6-Cylinder)	JAGUAR XK 3.4	45mm	GB	3 x DCOE	Cast Aluminium (1-piece) intake manifold. Fits Jaguar 6 Cylinder early XK 3.4. (Suits early non straight port head engines ONLY!).
ATMW3013038C	JAGUAR	(6-Cylinder)	JAGUAR 3.8/4.2	45mm	GB	3 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Jaguar 6 Cylinder 3.8/4.2L engines. (Manifold Length flange to flange 110mm). (Please note that if this kit is fitted in anything other than a S3 4.2 E type, it is likely that the OEM thermostat housing will not fit the new manifold and in that case, a replacement thermostat housing will be needed).
ATMW3013036	JAGUAR	(6-Cylinder)	JAGUAR E-TYPE RACE	45mm	GB	3 x DCOE	Cast Aluminium (2-piece) intake Manifold. Fits Jaguar 6 Cylinder 3.8/4.2L E TYPE engines. (Water rail will need additional gaskets and screws which will need to be sourced independently). (Manifold length flange to flange is 139mm high with a 39mm head ports).
ATMT3149	MAZDA	(2-Cylinder)	MAZDA 13B ROTARY	48mm	GB	1 x IDA	Cast Aluminium (1-piece) intake Manifold. Fits Mazda 13B Rotary engine. The Intake manifold is designed to suit Mazda 13B Rotary except 6 port models.
ATMG9436	MERCEDES	(4-Cylinder)	MERCEDES 190SL	40mm	DE	2 x DCOE	Cast Aluminium (2-piece) intake Manifold. Fits Mercedes 190SL.
ATMT0087	MGC	(6-Cylinder)	MGC	45mm	GB	3 x DCOE	Cast Aluminium (3-piece) intake Manifold. Fits MGC 6 cylinder engine.
ATMT0013	MGB	(4-Cylinder)	MGB	40mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits B series Austin / MGB and 1.8 Marina engines. (Manifold length is 135mm with 33mm head ports).
ATMW0033	MGB	(4-Cylinder)	MGB	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits B series Austin / MGB engines. (Manifold length is 125mm with 33mm head ports).
ATMW3806	MGB/ TRIUMPH	(4-Cylinder)	MG MIDGET/ TRIUMPH SPITFIRE	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits MG Midget & Spitfire 1500cc engines. (Comes complete with fitting kit and linkage)
ATMW3124	MINISUBISHI	(4-Cylinder)	MINISUBISHI COLT/ GALANT/LANCER	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Minisubishi Colt, Galant, Lancer 1300-1600cc (4G30, 4G31, 4G32, 4G33 engines), Saturn Engine OHC Chain Drive Engines only. (Manifold length flange to flange is 118mm high).

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regards to purchase orders, the agreed particulars shall prevail. AT Power does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

AT Power Throttles Ltd

Unit 9, Chestnut Drive
Wymondham
Norfolk
NR18 9SB

Tel: +44 (0)1953 85700
Email: info@atpowerthrottles.com
Web: www.atpowerthrottles.com



Part Number	Vehicle Brand	Number of Cylinders	Engine Fitment	Throttle Bore Size	Country of Origin	Fitment Type	Additional Information
ATMM4567	GENERAL MOTORS	(4-Cylinder)	GENERAL MOTORS 2.0L (8V)	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits GM 2.0L (8V) engine.
ATMM4560	VAUXHALL/OPEL	(4-Cylinder)	VAUXHALL ASTRA/NOVA	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Vauxhall Nova/Astra /Opel Astra 1.2 or 1.3 engines.
ATMM4570B	VAUXHALL/OPEL	(4-Cylinder)	VAUXHALL CAVALIER/OPEL MANTA	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Manta/Cavalier 1.6/1.9 RWD GM engine as fitted to Vauxhall Cavalier RWD, Opel Manta RWD, Opel 1900 GT. (Manifold length flange to flange is 110mm high).
ATMM4563	VAUXHALL	(4-Cylinder)	VAUXHALL NOVA/CORSA	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Vauxhall Nova/Corsa 1.6 engine. (Please note that this fits the round port engine and is supplied with fitting kit). (See MM4564 for the square port version).
ATMM4564	VAUXHALL	(4-Cylinder)	VAUXHALL NOVA/CORSA	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Vauxhall Nova/Corsa 1.6 engine. (Please note that this fits the round port engine and is supplied with fitting kit). (See MM4563 for the round port version).
ATMW4550	OPEL	(4-Cylinder)	OPEL KADETT	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Opel Kadett. (Please note that this includes manifold fitting kit of studs, nuts and soft mount kit).
ATMM4578C	OPEL	(4-Cylinder)	OPEL MANTA 2.4L	48mm	GB	2 x DCOE	Cast Aluminium (2-piece) intake Manifold. Fits Opel Manta 2.4 engine. (Manifold length flange to flange is 117mm high at the highest point). (Comes complete with fitting kit).
ATMM5250	OPEL	(4-Cylinder)	VAUXHALL VX220/OPEL SPEEDSTER	45mm	GB	2 x DCOE	Billet Aluminium (1-piece) intake Manifold (Anodised Black). Fits Vauxhall VX220 or Opel Speedster & GM Z22SE Ecotec engine applications. (Manifold is not supplied with fitting hardware).
ATMW3830	RENAULT	(4-Cylinder)	RENAULT R5 ALPINE GR2	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Renault R5 Alpine. Period correct Swan Neck one piece manifold that allows the throttle bodies to be correctly positioned above the inner wing.
ATREN3040	RENAULT	(4-Cylinder)	RENAULT R8/R10/R12	40mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Renault R8/R10/R12 and 1100. (Can also be ported to suit 45mm DCOE. O/A Length is 150mm).
ATMM4180B	ROVER	(4-Cylinder)	ROVER K SERIES	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Rover K series 1.4 / 1.6 / 1.8 engines. (Manifold length flange to flange is 70mm high).
ATMM4670	SIMCA	(4-Cylinder)	SIMCA RALLYE	40mm	GB	2 x DCOE	Cast and polished Aluminium (1-piece) intake Manifold. Fits Simca Rallye. (Manifold length flange to flange is 110mm high).
ATMW3040	SUNBEAM	(4-Cylinder)	SUNBEAM ALPINE	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Sunbeam alpine 1725. (Manifold length flange to flange is 80mm). (The inlets on the head side of manifold have a diameter of 34mm).
ATMW20	TOYOTA	(4-Cylinder)	TOYOTA 18RG/18R-GU/18R-GEU	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Toyota 18RG, 18R-GU and 18R-GEU 2.0 motors as fitted to Celica etc.
ATMW3136	TOYOTA	(4-Cylinder)	TOYOTA 2T 1600 CELICA	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Toyota 2T 1600 Celica Engines TA22 and TA23.
ATMW3062	TOYOTA	(4-Cylinder)	TOYOTA 3K/4K/5K	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Toyota Corolla, Corona Starlet 1100, 1200, 1300, 1500 3K,3KH 4K, 5K Engines. (Exhaust Headers must be fitted).
ATMW22	TOYOTA	(4-Cylinder)	TOYOTA 4AG	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold for Toyota 4AG engine. Fits 4AG 1600 Small Single Port size 52mm x 30mm. (Manifold length flange to flange is 50mm high with threaded port for vacuum servo).
ATMW23	TOYOTA	(4-Cylinder)	TOYOTA 4AGE	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold for 4AGE 1600 engine. Fits 4AGE Large Twin Port size 65mm x 30mm. (Toyota 1600cc Twin Cam 4AGE 89KW Large Twin Port Engine).
ATMM4450	TOYOTA	(4-Cylinder)	TOYOTA ST 1600 CELICA	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold for ST 1600 Celica. (Manifold length flange to flange is 105mm high).
ATM150	VOLKSWAGEN	(4-Cylinder)	VOLKSWAGEN 1.6/1.8 (8V)	45mm	GB	1 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits 1.6/1.8 (8V) VW engine as fitted to the Golf/Jetta.
ATMM4650A	VOLKSWAGEN	(4-Cylinder)	VOLKSWAGEN 1.8/2.0 (8V)	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits VW 8V Golf Scirocco engine. (Please note that the top hose will need to be modified to allow fitment of this conversion).
ATMW4650B	VOLKSWAGEN	(4-Cylinder)	VOLKSWAGEN 1.8/2.0 (8V)	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits VW 8V Golf Scirocco engine. (Please note that the top hose will need to be modified to allow fitment of this conversion).

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regards to purchase orders, the agreed particulars shall prevail. AT Power does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

AT Power Throttles Ltd

Unit 9, Chestnut Drive
Wymondham
Norfolk
NR18 9SB

Tel: +44 (0)1953 85700
Email: info@atpowerthrottles.com
Web: www.atpowerthrottles.com



Part Number	Vehicle Brand	Number of Cylinders	Engine Fitment	Throttle Bore Size	Country of Origin	Fitment Type	Additional Information
ATVAG2046	VOLKSWAGEN	(4-Cylinder)	VOLKSWAGEN 2.0 (8V) CROSSFLOW	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Volkswagen 2.0 8V ABA crossflow engine as used in later models of Golf and Jetta. (Manifold length flange to flange is 124mm high).
ATMW4657B	VOLKSWAGEN	(4-Cylinder)	VOLKSWAGEN 1.8/2.0 (16V)	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold, includes a tapping and union for the servo. Fits Volkswagen 1.8/2.0 16v engine. (Comes complete with fitting kit).
ATMM5300	VOLKSWAGEN	(4-Cylinder)	VOLKSWAGEN 1.8/2.0 (16V)	45mm	GB	2 x DCOE	Cast Aluminium (2-piece) intake Manifold. Fits Volkswagen 1.8/2.0 16v engine. (Manifold length flange to flange is 110mm high). (2 piece alternative to MM4657B).
ATMT2044	VOLVO	(4-Cylinder)	VOLVO B18/B20	40mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Volvo B18 or B20 engines. (Manifold length flange to flange is 90mm high with head port diameters of 35mm).
ATMW4900B	VOLVO	(4-Cylinder)	VOLVO B18/B21	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Volvo B18 or B20 engines. (Manifold length flange to flange is 102mm high with head port diameters of 40mm). (Comes complete with fitting kit).
ATMM4950B	VOLVO	(4-Cylinder)	VOLVO B21/B23	45mm	GB	2 x DCOE	Cast Aluminium (1-piece) intake Manifold. Fits Volvo B21 or B23 engines. (Comes complete with fitting kit).

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regards to purchase orders, the agreed particulars shall prevail. AT Power does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.